

HACCP
ISO 22000
HYGIENE EQUIPMENT

With 35 years of experience...

YİBER
ELEKTRONİK



www.yiber.com.tr

YIBTECH PRODUCT LINE IS YOUR ULTIMATE SOLUTION PARTNER




YIBTECH PRODUCT RANGES ARE;


- KNIFE CLEANING EQUIPMENT
- HAND & BOOT DISINFECTION SYSTEMS
- HYGIENE CHECKPOINTS FOR MEAT-DAIRY-BAKERY AND FOOD PROCESSING FACILITIES.




Scrub Sinks




YIBTECH STV 210 F
304 18/10 satin finish stainless steel,
Triple Bay scrub sink,
Sensor operated, hot & cold water.
Voltage: 220-240V / 50Hz.




YIBTECH STV 132 F
304 18/10 satin finish stainless steel,
Double Bay scrub sink,
Sensor operated, hot & cold water.
Voltage: 220-240V / 50Hz.




YIBTECH STV 132 ED
304 18/10 satin finish stainless steel,
Double Bay scrub sink,
Knee operated, hot & cold water.
Voltage: 220-240V / 50Hz.



YIBTECH STD 50
304 18/10 satin finish stainless steel,
Wall mounted, Single bay sink,
Hot-Cold water mixer is optional,
Knee operated push button tap.
Voltage: 220-240V / 50Hz.




YIBTECH STD 50 F
304 18/10 satin finish stainless steel,
Wall mounted, Single bay sink,
Hot-Cold water mixer is optional,
Voltage: 220-240V / 50Hz.




YIBTECH STD 50 F
304 18/10 satin finish stainless steel,
Single bay scrub sink,
knee operated, without mixer.
Hot-Cold water mixer is optional,
Voltage: 220-240V / 50Hz.
STV 50 F is sensor operated.


Boot-Sole Cleaners




YIBTECH YSH FF 160
 Boot cleaner
 304/4N Stainless steel
 satin finish
 vertical and horizontal brush
 sensor & button operation.
 Voltage: 220-240V / 50Hz.





YIBTECH YSH FF 112
 Sole cleaner
 304/4N Stainless steel
 satin finish
 horizontal brush
 sensor & button operation.
 Voltage: 220-240V / 50Hz.



YIBTECH FF 80
 Boot cleaner,
 304 18/10 satin finish stainless steel,
 vertical and horizontal brush sensor,
 Sensor operated.
 Voltage: 220-240V / 50Hz.



YIBTECH ST AD 120
 Sole cleaner
 304/4N Stainless steel
 satin finish
 wall mounted
 Button operation.
 Voltage: 220-240V / 50Hz.




YIBTECH BCK 30
 Boots dryer
 304/4N Stainless steel
 satin finish.

Hygiene Barriers


(Single Bowl) **YIBTECH YSH TE 160**
 (Double Bowl) **YIBTECH YSH TE 160-1**

Hygiene barrier 304/4N Stainless steel satin finish knee operated single bay scrub sink hand disinfection unit with turnstile.




YIBTECH YSH TE 160 F (Single Bowl)
YIBTECH YSH TE 160 F-1 (Double Bowl)

Hygiene barrier 304/4N Stainless steel satin finish sensor operated single bay scrub sink hand disinfection unit with turnstile.






YIBTECH YSH TE 250
YIBTECH YSH TE 250-1

Hygiene barrier 304/4N Stainless steel satin finish sensor operated double bay scrub sink hand disinfection unit with turnstile.




YIBTECH YSH FTE 180 (Single Bowl)
YIBTECH YSH FTE 180-1 (Double Bowl)

Hygiene barrier 304/4N Stainless steel satin finish sensor operated sole cleaner hand disinfection unit with turnstile.





(Single Bowl) **YIBTECH YSH FTE 272**
 (Double Bowl) **YIBTECH YSH FTE 272-1**

Hygiene barrier 304/4N Stainless steel satin finish sensor operated sole cleaner sensor operated single bay scrub sink hand disinfection unit with turnstile.



YIBTECH YSH FFTE 250 (Single Bowl)
YIBTECH YSH FFTE 250-1 (Double Bowl)


Hygiene barrier 304/4N Stainless steel satin finish sensor operated boot cleaner vertical and horizontal brush hand disinfection unit with turnstile.



(Single Bowl) **YIBTECH YSH TE 65**
 (Single Bowl) **YIBTECH YSH TE 65-1**
 Hygiene barrier 304/4N Stainless steel satin finish hand disinfection unit with turnstile.




YIBTECH YSH TEF 160 L (Single Bowl)
YIBTECH YSH TEF 160 L-1 (Double Bowl)
 Hygiene barrier 304/4N Stainless steel satin finish sensor operated sole cleaner knee operated single bay scrub sink hand disinfection unit with turnstile.



Hand Disinfection and Equipment


YIBTECH ST TED 02 A

304 18/10 Stainless steel,
Hand disinfection unit with turnstile,
Double bowl floor mounted.
Votage:220-240V / 50Hz.




YIBTECH ST TED 22 A

304 18/10 Stainless steel,
Hand disinfection unit with turnstile,
Double bowl floor mounted.
Optional single bowl.
Votage:220-240V / 50Hz.




YIBTECH ST TED 32-1

304 18/10 Stainless steel,
Water-Soap-Hand disinfection
unit with turnstile,
Double bowl floor mounted.
Optional single bowl.
Votage:220-240V / 50Hz.




YIBTECH ST TED 22 A-S

304 18/10 Stainless steel,
Hand disinfection unit with turnstile,
Double bowl floor mounted.
Two turnstilee (entrance-exit)
Optional single bowl.
Votage:220-240V / 50Hz.




YIBTECH ISD 02

Locker for two persons,
304 18/10 Stainless steel,
Two shelves & hang included
ISD 04 for four persons
One shelf & hang included.




YIBTECH YBC 40 S

Knife Sterilizer for zten knives,
304 18/10 Stainless steel,
Boiler water system.
Votage:220-240V / 50Hz.
(YBC 60 S for 40 knives)




YIBTECH OD 01

Apron dispenser for 30 Aprons,
304 18/10 Stainless steel,
ED 01 Glove dispenser.



YIBTECH GBM / K

Overshoe- Bonnet-Mask dispenser,
304 18/10 Stainless steel,
Wall mounted with bin.




Insect Killers & Insect Traps




MODEL UP 80 CIZZZ

2x40 Watt / Water proof socket,
Optional shatterproof Bulb, Discharge voltage 4000V.
Dim: 1270x215x390 mm/h. Weight: 9.5kgs.
Effective range: 35-40 m2, Votage:220-240V / 50Hz.



MODEL KY 40 CIZZZ

1x40 Watt / Water proof socket,
Optional shatterproof Bulb, Glue Stiker: 160x580mm.
Effective range: 20-25 m2, Votage:220-240V / 50Hz.



MODEL KY 40 P CIZZZ

1x40 Watt / Water proof socket, 304 18/10 Stainless steel,
Optional shatterproof Bulb, Glue Stiker: 160x580mm.
Effective range: 20-25 m2, Votage:220-240V / 50Hz.



MODEL KP 40 CIZZZ

2x20 Watt / Water proof socket,
Optional shatterproof Bulb, Discharge voltage 4000V.
Dim: 700x215x390 mm/h. Weight: 9.5kgs.
Effective range: 35-40 m2, Votage:220-240V / 50Hz.



MODEL KP 80 CIZZZ

2x40 Watt / Water proof socket,
Optional shatterproof Bulb, Discharge voltage 4000V.
Dim: 700x215x390 mm/h. Weight: 9.5kgs.
Effective range: 55-60 m2, Votage:220-240V / 50Hz.



MODEL KYF 80 CIZZZ

2x40 Watt / Water proof socket, 304 18/10 Stainless steel,
Optional shatterproof Bulb, Glue Stiker: 230x580mm.
Dim: 625x300x200 mm/h.
Effective range: 50-60 m2, Votage:220-240V / 50Hz.



MODEL KYS 80 CIZZZ

2x40 Watt / Water proof socket, 304 18/10 Stainless steel,
Optional shatterproof Bulb, Glue Stiker: 380x580mm.
Dim: 700x500x250 mm/h.
Effective range: 50-60 m2, Votage:220-240V / 50Hz.



MODEL UYF 80 CIZZZ

2x40 Watt / Water proof socket, 304 18/10 Stainless steel,
Optional shatterproof Bulb, Glue Stiker: 230x1160mm.
Dim: 1250x300x200 mm/h.
Effective range: 100-110 m2, Votage:220-240V / 50Hz.



MODEL UYS 80 CIZZZ

2x40 Watt / Water proof socket, 304 18/10 Stainless steel,
Optional shatterproof Bulb, Glue Stiker: 380x1160mm.
Dim: 1250x500x200 mm/h.
Effective range: 100-110 m2, Votage:220-240V / 50Hz.

YİBER ELEKTRONİK SANAYİ ve TİCARET LTD.ŞTİ.

Head Office:

Şerifali Mah. Bayraktar Bulvarı,
Adil Sokak No. 45
34775 Ümraniye - İstanbul
Tel.0216. 361 2 444 - 361 2 777 pbx
Faks.0216. 361 25 26

Akdeniz Branch Office:

Çaybaşı Mah. 1375 Sk.
Selim Apt. No.3-1
Muratpaşa - Antalya
Tel. 0242. 312 32 16 - 17
Faks. 0242. 312 70 03

email: info@yiber.com.tr

www.yiber.com.tr

<https://www.youtube.com/channel/UCUR3cuBEuQNV3iYY6o1lw-w>

